

In the Claims:

1. (Currently Amended) A portable device for engaging a host computing device comprising:

[[a)] a body;

[[b)] a memory within the body containing:

[[i)] initial identification indicia to initially identify the portable device to the host computing device as a first device type, which is known to the host computing device; and

[[ii)] configuration indicia to subsequently identify the portable device to the host computing device as a second device type and provide configuration instructions to allow the host computing device to effectively interact with the portable device as the second device type; and

[[c)] an interface associated with the memory and adapted to facilitate interaction with the host computing device,

wherein the host computing device will detect the portable device as being the first device type and subsequently configure itself to interact with the second device type.

2. (Original) The portable device of claim 1 wherein the memory further contains service indicia providing instructions to provide a service corresponding to the second device type.

3. (Original) The portable device of claim 2 wherein the service indicia includes instructions for the host computing device to provide the service for applications running on the host computing device.

4. (Original) The portable device of claim 2 further comprising a processing unit associated with said memory and wherein the service indicia includes instructions for said processing unit to provide the service for the host computing device.

5. (Original) The portable device of claim 1 wherein the configuration indicia includes a file executable on the host computing device to reconfigure the host computing device to recognize and interact with the portable device as the second device type.

6. (Original) The portable device of claim 1 wherein the memory further contains an application to run on the host computing device.
7. (Original) The portable device of claim 1 wherein the first device type is a storage device.
8. (Original) The portable device of claim 1 wherein the second device type is a cryptographic service provider.
9. (Original) The portable device of claim 1 wherein said memory further contains at least one of the group consisting of private cryptography key, public cryptography key, and cryptography algorithm.
10. (Original) The portable device of claim 1 wherein the interface is one of the group consisting of electrical, optical, and radio frequency.
11. (Original) The portable device of claim 1 wherein the memory further contains deregistering indicia providing instructions for the host computing device to reconfigure the host computing device to a configuration state prior to interacting with the portable device.
12. (Original) The portable device of claim 1 wherein the memory further contains cleansing indicia providing instructions for the host computing device to remove at least certain information from the host computing device indicative of use of the host computing device while associated with the portable device.
13. (Currently Amended) A portable device for engaging a host computing device comprising:
 - [[a)]] a body;
 - [[b)]] a memory within the body containing:
 - [[i)]] initial identification indicia to initially identify the portable device to the host computing device as a first device type, which is known to the host computing device; and

[[ii))] configuration instructions for the host computing device to subsequently identify the portable device as a cryptographic service provider and provide configuration instructions to allow the host computing device to effectively interact with the portable device to provide cryptography services for applications running on the host computing device; and
[[c))] an interface associated with the memory and adapted to facilitate interaction with the host computing device,
wherein the host computing device will detect the portable device as being the first device type and subsequently configure itself to interact with the portable device to provide said cryptography services.

14. (Currently Amended) The portable device of claim 1 wherein the memory further contains instructions to provide [[the]] cryptography services for applications running on the host computing device.

15. (Currently Amended) The portable device of claim 13 wherein the configuration instructions to provide the cryptography services are configured for running on the host computing device.

16. (Currently Amended) The portable device of claim 13 further comprising a processing unit associated with said memory and wherein the configuration instructions to provide the cryptography services are configured for running on the processing unit.

17. (Currently Amended) A method comprising:

[[a))] identifying a portable device to a host computing device as a first device type, which is known to the host computing device,

[[b))] registering the portable device with host computing device as the first device type;

[[c))] automatically identifying the portable device to the host computing device as a second device type;

[[d))] enabling the portable device as the second device type with the host computing device based on information provided on the portable device; and

[[e)]] providing a service corresponding to the second device type for applications running on the host computing device based on the information provided by the portable device.

18. (Original) The method of claim 17 wherein the first device type is a storage device.

19. (Original) The method of claim 17 wherein the second device type is a cryptographic service provider.

20. (Original) The method of claim 17 further comprising reconfiguring the host computing device to a configuration state prior to interacting with the portable device.

21. (Original) The method of claim 17 further comprising removing at least certain information from the host computing device indicative of use of the host computing device while associated with the portable device.

22. (Currently Amended) A method comprising:

[[a)]] identifying a portable device to a host computing device as a first device type, which is known to the host computing device,

[[b)]] registering the portable device with the host computing device as the first device type;

[[c)]] automatically identifying the portable device to the host computing device as a cryptographic service provider;

[[d)]] enabling the portable device as the cryptographic service provider with the host computing device based on information provided on the portable device; and

[[e)]] providing cryptography services for applications running on the host computing device based on the information provided by the portable device.

23. (Currently Amended) A portable device for engaging a host computing device comprising:

[[a)]] a body;

[[b)]] a memory within the body containing:

[[i)]] initial identification indicia to initially identify the portable device to the host computing device as a first device type in which a driver for the first device type is known to the host computing device; and

[[ii)]] software instructions to subsequently identify the portable device as a cryptographic service provider to the host computing device and provide a driver for the cryptographic service provider to allow the host computing device to effectively interact with the portable device to provide cryptography services for applications running on the host computing system; and

[[c)]] an interface associated with the memory and adapted to facilitate interaction with the host computing device,

wherein the host computing device will detect the portable device as being the first device type and subsequently configure itself to interact with the portable device to provide the cryptography services for the applications running on the host computing device.